



## INTRODUCTION

Rapini delivers an easy and economical way to solve a variety of storage, supply management and inventory control issues with Static and Mobile Wire Shelving Systems.

Available in shelving, carts or high density in-line systems the Rapini range will maximise your floor space usage and improve your inventory supply flow.

## SHELVING OPTIONS

NC



### NICKEL CHROME WIRE SHELVING

Nickel chrome wire shelving is best suited to dry areas, and in particular for sterile hospital environments, where cleanliness and freedom from dust gathering is critical. Rapini's nickel chrome wire shelves comply with hospital infection control guidelines - as per AS 4187

SS



### STAINLESS STEEL WIRE SHELVING

Stainless steel wire shelving is suitable for wet storage and high contamination areas, such as clean rooms and sterile hospital environments where cleanliness and freedom from dust gathering is critical.

SD



### STAINLESS STEEL SOLID SHELVING

Stainless steel solid shelving has unlimited applications. Stainless steel sheet construction, makes it very serviceable in all conditions.

ZP



### COOL SEAL WIRE SHELVING

Zinc plated, epoxy coated wire shelving is specially designed for both wet and dry storage areas. Particular application is cool rooms, freezers, hotels, restaurants and hospital kitchens. Rapini provides a 10 year warranty against rust.

## CONFIGURATION OPTIONS

Rapini shelving, provides complete flexibility, so that our customers can achieve the most efficient storage solutions possible. We offer a no obligation, professional planning consultancy, to assist in optimizing storage efficiencies.

We can offer an assembly and installation service if requested.

**Shelf sizes** Rapini offers an expansive range of shelf sizes. (refer table – over)

**Adjustability** Shelves are adjustable and can be easily re-positioned with the use of the two piece sleeve which is set at 25mm increments.

**Different heights** Six standard Post heights enables Rapini to adapt to most requirements

**Accessories** A large range of accessories is available to compliment all shelving layouts (refer accessories – over)

**Mobile or static** With or without wheels...

- Mobile shelving units are supplied with 125mm Castors, 2 of which come with Brakes
- Static shelving units are supplied with adjustable feet to accommodate uneven floors

### STATIC 5 SHELF



R1101 Shelf Unit  
Nickel Chrome  
Five Shelf /Static  
Size: 460 x 1525 x 1600mm  
(depth x width x height)



### STATIC 4 SHELF



R1001 Shelf Unit  
Nickel Chrome  
Four Shelf / Static  
Size: 460 x 1525 x 1600mm  
(depth x width x height)



### MOBILE 4 SHELF



R1201 Shelf Unit  
Nickel Chrome  
Four Shelf / Mobile  
Size: 460 x 1525 x 1760mm  
(depth x width x height)



### MOBILE 5 SHELF



R1301 Shelf Unit  
Nickel Chrome  
Five Shelf / Mobile  
Size: 460 x 1525 x 1760mm  
(depth x width x height)



**CONFIGURATION OPTIONS**



NC

**MODEL R2102 SUTURE TROLLEY**

Size illustrated 460 x 1220 x 1760mm high  
Suture Trolley features the unique slanted display shelves ideal for dispensing and storing of Sutures or other boxed items. Can be configured with slanted or flat shelves.

Three shelf sizes available.  
Available in Nickel Chrome only

- R2101 460 x 910mm
- R2102 460 x 1220mm
- R2103 460 x 1525mm



NC

**MODEL R2001 COMBINATION TROLLEY**

Size illustrated 1220 x 610 x 1760mm high

Trolley combines the options of fixed shelves and sliding baskets.

Can be configured with a variety of baskets to both sides, or the basket / shelf combination.

Available in Nickel Chrome only




NC SS SD ZP

**RAPINI MODULAR SHELVING SYSTEM**

Rapini Static units can be configured in multiple variations using S Hooks. Starting with a base unit, extra units can be added side to side or back to back.

Please contact our sales department to assist you with your requirements



Single row in-line units




Double row in-line units

NC SS ZP

**RAPINI IN-LINE COMPACT STORAGE SYSTEM**

The principle of in-line storage systems is to have a number of mobile bays, running between two static end bays.

Allowance must be made for a minimum of 800mm aisle spaces. Our normal range of shelf sizes gives the opportunity to erect the most efficient storage system to suit all applications. Please contact our sales department to assist you with your requirements



## SIZE OPTIONS

NC CHROME			SS STAINLESS STEEL WIRE		SD STAINLESS STEEL SOLID		ZP COOL SEAL	
<b>WIRE SHELF SIZES</b>								
<b>size (mm)</b>	<b>size</b>	<b>code</b>	<b>size</b>	<b>code</b>	<b>size</b>	<b>code</b>	<b>size</b>	<b>code</b>
<b>355 width</b>								
	355 x 760	S1430NC					355 x 610	ZP1424
	355 x 910	S1436NC					355 x 760	ZP1430
	355 x 1070	S1442NC					355 x 910	ZP1436
	355 x 1220	S1448NC					355 x 1070	ZP1442
	355 x 1372	S1454NC					355 x 1220	ZP1448
	355 x 1525	S1460NC					355 x 1372	ZP1454
	355 x 1828	S1472NC					355 x 1525	ZP1460
							355 x 1828	ZP1472
<b>460 width</b>								
	460 x 460	S1818NC						
	460 x 610	S1824NC	460 x 610	S1824SS	460 x 610	S1824SD	460 x 610	ZP1824
	460 x 760	S1830NC	460 x 760	S1830SS	460 x 760	S1830SD	460 x 760	ZP1830
	460 x 910	S1836NC	460 x 910	S1836SS	460 x 910	S1836SD	460 x 910	ZP1836
	460 x 1070	S1842NC	460 x 1070	S1842SS	460 x 1070	S1842SD	460 x 1070	ZP1842
	460 x 1220	S1848NC	460 x 1220	S1848SS	460 x 1220	S1848SD	460 x 1220	ZP1848
	460 x 1372	S1854NC	460 x 1372	S1854SS			460 x 1372	ZP1854
	460 x 1525	S1860NC	460 x 1525	S1860SS	460 x 1372	S1860SD	460 x 1372	ZP1860
	460 x 1828	S1872NC					460 x 1828	ZP1872
<b>533 width</b>								
	533 x 610	S2124NC					533 x 610	ZP2124
	533 x 760	S2130NC					533 x 760	ZP2130
	533 x 910	S2136NC	533 x 910	S2136SS			533 x 910	ZP2136
	533 x 1070	S2142NC	533 x 1070	S2142SS			533 x 1070	ZP2142
	533 x 1220	S2148NC	533 x 1220	S2148SS			533 x 1220	ZP2148
	533 x 1372	S2154NC	533 x 1372	S2154SS			533 x 1372	ZP2154
	533 x 1525	S2160NC	533 x 1525	S2160SS			533 x 1525	ZP2160
	533 x 1828	S2172NC	533 x 1828	S2172SS			533 x 1828	ZP2172
<b>610 width</b>								
	610 x 610	S2424NC	610 x 610	S2424SS			610 x 610	ZP2424
	610 x 760	S2430NC	610 x 760	S2430SS	610 x 760	S2430SD	610 x 760	ZP2430
	610 x 910	S2436NC	610 x 910	S2436SS	610 x 910	S2436SD	610 x 910	ZP2436
	610 x 1070	S2442NC	610 x 1070	S2442SS	610 x 1070	S2442SD	610 x 1070	ZP2442
	610 x 1220	S2448NC	610 x 1220	S2448SS	610 x 1220	S2448SD	610 x 1220	ZP2448
	610 x 1372	S2454NC	610 x 1372	S2454SS			610 x 1372	ZP2454
	610 x 1525	S2460NC	610 x 1525	S2460SS	610 x 1525	S2460SD	610 x 1525	ZP2460
	610 x 1828	S2472NC					610 x 1828	ZP2472
<b>760 width</b>								
	760 x 910	S3036NC					760 x 910	ZP3036
	760 x 1070	S3042NC						
	760 x 1220	S3048NC						
	760 x 1372							
	760 x 1525	S3060NC						
<b>POSTS</b>								
860	860	P34C	860	P34SS	860	P34SS		
1370	1370	P54C	1370	P54SS	1370	P54SS	1370	ZP54
1600	1600	P63C	1600	P63SS	1600	P63SS	1600	ZP63
1800	1800	P70C						
1895	1895	P74C	1895	P74SS	1895	P74SS	1895	ZP74
2200	2200	P86C	2200	P86SS	2200	P86SS	2200	ZP86
<b>WIRE LEDGE SIZES</b>								
<b>100mm high</b>								
355mm L	355	AL14C						
460	460	AL18C		AL18SS				ZP18L
533	533	AL21C						ZP21L
610	610	AL24C		AL24SS				ZP24L
760	760	AL30C		AL30SS				ZP30L
910	910	AL36C		AL36SS				ZP36L
1070	1070	AL42C		AL42SS				ZP42L
1220	1220	AL48C		AL48SS				ZP48L
1372	1372	AL54C		AL54SS				ZP54L
1525	1525	AL60C		AL60SS				ZP60L
1828	1828	AL72C						ZP72L
<b>280mm high</b>								
355mm L	355	AL14-280C						
460	460	AL18-280C						
533	533	AL21-280C						
610	610	AL24-280C						
760	760	AL30-280C						
910	910	AL36-280C						
1070	1070	AL42-280C						
1220	1220	AL48-280C						
1372	1372	AL54-280C						
1525	1525	AL60-280C						
1828	1828	AL72-280C						
<b>WIRE SELF DIVIDER SIZES 220 mm high</b>								
355	355	D14C						
460	460	D18C		D18SS				
533	533	D21C		D21SS				
610	610	D24C		D24SS				
760	760	D30C						

## ACCESSORIES

### LEDGES NC SS ZP

Wire Shelf ledges are available to suit all shelf sizes.

Ledges are designed to easily clamp on to shelf frames.

Two sizes:  
100mm high  
280mm high

Available in various sizes to suit different shelf widths.

See chart page 4.




### SHELF DIVIDERS NC

To assist in organized shelf maintenance, Shelf Dividers provide a simple solution and clip into any part of the shelf.

Available in various sizes to suit different shelf widths.

See chart page 4.



### VERTICAL RODS NC

An alternative to Ledges, the 6mm vertical rods can be used to retain larger items.

Available in five lengths, simply clip onto the shelf frame.

There are 5 different lengths  
AR1150 1150mm  
AR1320 1320mm  
AR1380 380mm  
AR1530 1530mm  
AR1830 1830mm



### GUARD RAILS NC

A small version of the shelf ledge. Offers two types: Straight one side or three sided.

Sizes to suit shelves.

<b>Straight 1 side</b>	<b>Guard Rail 3 Sides</b>
R18C 460mm	F1836C 460 x 910mm
R21C 533mm	F1848C 460 x 1220mm
R24C 610mm	F2424C 610 x 610mm
R30C 760mm	F2436C 610 x 910mm
R36C 910mm	F2448C 610 x 1220mm
R42C 1070mm	
R48C 1220mm	
R54C 1372mm	
R60C 1525mm	
R72C 1828mm	



### CANTILEVER SHELF NC

Designed to be an additional over shelf without the obstruction of upright posts. 300mm wide only.

Sized to suit shelves  
HS1242C 300 x 1070mm  
HS1248C 300 x 1220mm  
HS1260C 300 x 1525mm  
HS1272C 300 x 1828mm



### WALL MOUNT COLLAR SS

Affixes to wall to accommodate posts and spaced to suit shelves.

Posts can be cut to suit any application.

WTIA - Wall Mount Collar



### WALL BRACKETS NC

To be fixed to walls and spaced to accommodate all shelves. Fits all 355mm and 460mm wide shelves.

Two sizes  
WSWB14C 355mm wide  
WSWB18C 460mm wide



### S HOOK CONNECTOR SS

S Hooks are used to link one shelving unit to another and are particularly useful in a corner situation to replace posts to enable free access into the corner.

AS01



### LABEL HOLDERS

Two variations are available

**Blue Type** Clips securely to top and bottom of shelf. Available in full lengths to suit shelves.

ALH800 ALH1400  
ALH1100 ALH1700



### POST CLAMPS NC

Post Clamps can be used to join and secure Static Shelving Units.

APC04 - Post Clamp



**Clear Type** Clips securely to top of shelf. Available in full lengths to suit shelves. May be easily cut to lengths of choice.

DUS26CL75 DUS26CL1220  
DUS26CL700 DUS26CL1280  
DUS26CL850 DUS26CL1400  
DUS26CL980 DUS26CL1700



**BASKET SERIES WB WALL PANELS** NC

Wall Panel Baskets can be fitted to walls, wire shelf ends or mobile trolleys. Baskets fit perfectly to the louvered wall panel hanging system. 8mm close mesh design, dividers optional.

**RAPWB122** Wall Panel Basket  
415 x 225 x 170mm deep

**D120** Divider to suit RAPWB122




**WB132** Wall Panel Basket  
105 x 190 x 85mm deep




**WB134** Wall Panel Basket  
105 x 125 x 85mm deep

**RAPWB242** Wall Panel Basket  
415 x 350 x 200mm deep

**D240** Divider to suit RAPWB242



pictured with divider



**RAPWB460M** Louvered Wall Panel  
460 x 460mm Metal

**RAPWB900M** Louvered Wall Panel  
900 x 460mm Metal

**BASKET SERIES SB SLIDING BASKETS** NC


Sliding baskets can be configured to suit the Basket Trolleys (page 7) or as storage devices to simply sit on the shelves. They are available in 2 different sizes in 2 different depths.

**SB1220** 610/200 Sliding Basket

1060 x 525 x 200mm deep

**SD 556/200** Divider 200mm deep

pictured with divider



**SB460** 610/200 Sliding Basket  
300 x 525 x 200mm deep  
**SD 338/200** Divider 200mm deep



**SB610** 460/200 Sliding Basket  
460 x 380 x 200mm deep  
**SD 480 610/200** Divider 200mm deep

**SB1220** 610/200 Sliding Basket

1060 x 525 x 100mm deep



**SB460** 610/100 Sliding Basket  
300 x 525 x 100mm deep  
**SB460 100** Long Divider  
**SB460 100** Short Divider

pictured with dividers




**SB610** 400/100 Sliding Basket  
460 x 380 x 100mm deep  
**SB480 610/100** Long Divider  
**SB406 610/100** Short Divider

**BASKET SERIES RB HOOK SYSTEM** NC

**RB130C** Hook Basket  
440 x 190 x 255mm deep



**RB180C** Hook Basket  
345 x 127 x 180mm deep



**WG920C** Wire Grid  
460 x 920mm (baskets not included)

## BASKET TROLLEYS

### RAPINI BASKET TROLLEY <sup>NC</sup>

The Rapini Basket Trolley range, delivers great versatility in slide out Basket storage.

Trolley units can be configured to suit our customer's requirements.

Trolleys are manufactured with, heavy duty bearing drawer runners, to withstand normal handling abuse.

Baskets come in a number of sizes and are available in either 100mm or 200mm depths.

Baskets are offered with a range of dividers.

Available in Nickel Chrome Plated Steel



#### R2701 Sliding Basket Trolley – Small

Size illustrated  
610 x 460 x 1020mm high.

A versatile solution to materials handling. The Small Basket Trolley comes with a solid stainless steel top and baskets are supported with full bearing slide out drawer runners.

Illustrated is 4 x 100mm deep baskets and 1 x 200mm deep basket. Other drawer configurations are available.



#### R2760 Sliding Basket Trolley Narrow – Single Bay

Size illustrated  
460 x 610 x 1960mm high.

The Narrow Basket Trolley is designed to place the sliding baskets with narrow side exposed. Baskets are supported with full bearing slide out drawer runners.

Illustrated is 4 x 100mm deep baskets and 3 x 200mm deep baskets. Other drawer configurations are available.



#### R2720 Sliding Basket Trolley – Large

Size illustrated  
1220 x 610 x 1530mm high.

The Large Basket Trolley comes with a wire mesh top and baskets are supported with full bearing slide out drawer runners.

Illustrated is 5 x 100mm deep baskets and 2 x 200mm deep baskets. Other drawer configurations are available.



#### R2780 Sliding Basket Trolley Wide – Single Bay

Size illustrated  
610 x 460 x 1960mm high.

The Wide Basket Trolley is designed to place the sliding baskets with wide side exposed. Baskets are supported with full bearing slide out drawer runners.

Illustrated is 4 x 100mm deep baskets and 3 x 200mm deep baskets. Other drawer configurations are available.



#### R2740 Sliding Basket Trolley – Large

Size illustrated  
1220 x 610 x 1020mm high.

The Large Basket Trolley comes with a stainless steel top and baskets are supported with full bearing slide out drawer runners.

Illustrated is 2 x 100mm deep baskets and 2 x 200mm deep baskets. Other drawer configurations are available.



#### R2790 Sliding Basket Trolley Double Bay

Size illustrated  
900 x 610 x 1960mm high.

The Double Bay Basket Trolley places the sliding baskets with narrow side exposed. Two bays provides generous storage capacity.

Illustrated is 16 x 100mm deep baskets and 8 x 200mm deep baskets. Other drawer configurations are available.





## BASKET TROLLEYS

## SPECTRA AND MEDSTOR

This storage concept is based on one tray size 600 x 400mm and a choice of tray depths 50mm / 100mm / 200mm

This system allows versatility and flexible configuration, as the trays are interchangeable with a wide range of cabinets, shelving and carts.



AX-M0605 50mm deep tray  
AX-M1665 Interlocking divider 600mm  
AX-M1645 Interlocking divider 400mm



AX-M0601 100mm deep tray  
AX-M1661 Interlocking divider 600mm  
AX-M1641 Interlocking divider 400mm



AX-M0602 200mm deep tray  
AX-M1662 Interlocking divider 600mm  
AX-M1642 Interlocking divider 400mm

## SPECTRA

60 x 40 modular materials management system  
Spectra Colour® drawer options  
Polymer construction  
Anti bacterial work surface



Spectra Colour® options

- Red
- Yellow
- Green
- Blue



AX-S0010 - 1 Drawer Trolley  
700 x 500 x 1000 H mm  
AX-M0601 - 1 x 100mm deep tray  
Interlocking dividers optional  
Work surface area 620 x 460mm  
125mm castors



AX-S0030 - Multi Drawer Trolley  
700 x 500 x 1000 H mm  
AX-M0605 - 1 x 50mm deep tray  
AX-M0601 - 2 x 100mm deep trays  
AX-M0602 - 2 x 200mm deep trays  
Interlocking dividers optional  
Work surface area 620 x 460mm  
125mm castors  
Push handle optional on all models

AX-S0020 - 2 Drawer Trolley  
700 x 500 x 1000 H mm  
AX-M0601 - 2 x 100mm deep trays  
Interlocking dividers optional  
Work surface area 620 x 460mm  
125mm castors



## MEDSTOR

AX-M1400  
665 x 460 x 975 H mm  
4 x 100mm deep trays  
1 x 200mm deep tray  
100mm castors  
2 brake  
Push Handle



AX-M8000 - Mobile Storage Unit  
680 x 450 x 1950 H mm  
1 x 50mm deep tray  
4 x 100mm deep trays /  
2 x 200mm deep tray  
Multi position holes enable any tray configuration to suit different storage requirements

AX-M2000  
900 x 650 W 1000 H mm  
2 x 50mm deep trays  
6 x 100mm deep trays  
2 x 200mm deep trays  
125mm castors  
2 brake  
Push Handle



## SPECIALTY UNITS

### R2350 Wire Shelf Trolley – Three Shelf

Size illustrated  
460 x 760 x 1020mm high

A small mobile trolley of three shelves, with in built push handles at each end.

Five shelf sizes available

R2350 460 x 760mm  
R2355 460 x 910mm  
R2360 610 x 760mm  
R2365 610 x 910mm  
R2370 610 x 1220mm

NC SS



### R2450 Solid Stainless Steel Trolley – Three Shelf

Size illustrated  
460 x 760 x 1020mm high

Three shelf mobile trolley with multi purpose use. Comes fitted with in built push handles at each end.

Five shelf sizes available

R2450 460 x 760mm  
R2455 460 x 910mm  
R2460 610 x 760mm  
R2465 610 x 910mm  
R2470 610 x 1220mm

SD



### R2310 Wire Shelf Trolley – Two Shelf

Size illustrated  
460 x 760 x 1020mm high

A small mobile trolley of top and bottom shelf, with in built push handle.

Five shelf sizes available

R2310 460 x 760mm  
R2315 460 x 910mm  
R2320 610 x 760mm  
R2325 610 x 910mm  
R2330 610 x 1220mm

NC SS



### R2405 Linen Trolley – Small

Size illustrated  
460 x 910 x 1020mm high

Three shelf, small mobile trolley, ideal for the transport of clean linen. Comes fitted with vertical rods and in built push handle.

Five shelf sizes available

R2400 460 x 760mm  
R2405 460 x 910mm  
R2410 610 x 760mm  
R2415 610 x 910mm  
R2420 610 x 1220mm

NC SS



### R2201 Catheter Trolley - Sliding Hooks

Size illustrated  
460 x 1220 x 1800mm high

Features the slide out, very efficient vertical storage of catheters. Available with 10 slide out hooks

NC



### R2210 Catheter Trolley - Fixed Hooks

Size illustrated  
610 x 910 x 1760mm high

15 Static catheter hooks provides storage for a variety of catheters. Incorporates a top and bottom storage compartment.

NC



## SPECIALTY UNITS

**R2510 Mail Trolley**

Size illustrated  
460 x 760 x 1020mm high.

A double basket trolley, ideal for mail and document transportation. Comprises two basket, 140mm deep and 255mm deep. Comes with in-built push handle.

Sizes available  
R2510 460 x 760mm  
R2515 460 x 910mm

NC

**R2530 Residents Clothing Distribution Trolley**

Size illustrated 32 Bays

A multi compartment trolley designed for the distribution of personal linen for Residents. Double sided access is a feature. Comprises shelf ledges, vertical rods, hanging rods and push handle.

Sizes available  
R2500 16 Bay  
R2510 18 Bay  
R2520 24 Bay  
R2530 32 Bay

NC

**R2440 Linen Trolley – Large**

Size illustrated  
610 X 910 x 1760mm high.

Four shelf large, mobile trolley, ideal for the transport of clean linen. Comprises 3 slanted shelves and 1 flat shelf. Comes fitted with vertical rods and in-built push handle.

NC

**R2550 Louvre Panel and Basket Trolley**

Designed for the use of Wire Baskets  
Mobile Louvre Panel Trolley size  
460 x 1050mm high.

Basket sizes are outlined on Page 6.

**R2590 Gowning Bench**

Size illustrated  
410 x 1525 x 500mm high

Designed for change rooms  
Stainless steel bench with bull nose edges. One wire mesh shelf under.

Sizes available  
R2580 410 x 910mm  
R2585 410 x 1220mm  
R2590 410 x 1525mm

SS


**R2640 Clean Table**

Size illustrated  
760 x 1828 x 1020mm high

Table comprises a solid stainless steel top. One wire mesh shelf under.

Sizes available  
R2601 610 x 1220 x 1020mm high  
R2620 610 x 910 x 1020mm high  
R2640 610 x 1525 x 1020mm high

SS





Rapini Pty Ltd  
ACN 147 368 483

Unit 17  
Eastern Gateway  
56 Norcal Road  
Nunawading  
Victoria 3131

T/ 1300 429 151  
F/ 03 8833 7810

[rapini.com.au](http://rapini.com.au)

A Paragon Care Company  
[paragoncare.com.au](http://paragoncare.com.au)